10/800667

Refine Search

Search Results -

Terms	Documents
L13 and (navigat$.clm. and switch$.clm.)	10

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L15

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Tuesday, December 05, 2006 **Purge Queries** Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR			
L15	L13 and (navigat$.clm. and switch$.clm.)	10	L15
L14	L13 and (navigat$ and switch$.clm.)	19	L14
L13	l11 or L12	78	L13
L12	l4 and @pd<=20030324	49	L12
L11	l4 and @ad<=20030324	77	L11
L10	L8 and (navigat$ and switch$.clm.)	5	L10
L9	L8 and (navigat$ and switch$)	23	L9
L8	L6 or L7	23	L8
L7	L5 and @pd<=20030324	11	L7
L6	L5 and @ad<=20030324	23	L6
L5	L4 and ("touch-screen" or "touchscreen" or "touch screen") (toggl$ with switch$) and (select$ with option$) and navigat$ and map$	38	L5

L4	and (car$ or automobile or vehicl$)	113	L4
DB=PGPB; THES=ASSIGNEE; PLUR=YES; OP=OR			
L3	L2 and (select$ same option$)	1	L3
L2	20040193371	1	L2
DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR			
L1	6542793.pn.	1	L1

END OF SEARCH HISTORY

Hit List

First Hit | Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Search Results - Record(s) 1 through 10 of 10 returned.

☐ 1. Document ID: US 20030036827 A1

L15: Entry 1 of 10 File: PGPB Feb 20, 2003

PGPUB-DOCUMENT-NUMBER: 20030036827
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20030036827 A1

TITLE: Light detection and ranging (lidar) mapping system

PUBLICATION-DATE: February 20, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Murphy, Kevin E.	Columbia	MD	US

US-CL-CURRENT: 701/3

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

☐ 2. Document ID: US 20020198633 A1

L15: Entry 2 of 10 File: PGPB Dec 26, 2002

PGPUB-DOCUMENT-NUMBER: 20020198633
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20020198633 A1

TITLE: In-car computing device and method of controlling a cursor for an in-car computing device

PUBLICATION-DATE: December 26, 2002

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Weimper, Andreas	Filderstadt		DE

US-CL-CURRENT: 701/1; 701/200

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

☐ 3. Document ID: US 6711475 B2

L15: Entry 3 of 10 File: USPT Mar 23, 2004

US-PAT-NO: 6711475
DOCUMENT-IDENTIFIER: US 6711475 B2
**** See image for Certificate of Correction ****

TITLE: Light detection and ranging (LIDAR) mapping system

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

---

☐ 4. Document ID: US 6611755 B1

L15: Entry 4 of 10 File: USPT Aug 26, 2003

US-PAT-NO: 6611755
DOCUMENT-IDENTIFIER: US 6611755 B1
**** See image for Certificate of Correction ****

TITLE: Vehicle tracking, communication and fleet management system

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

---

☐ 5. Document ID: US 6028537 A

L15: Entry 5 of 10 File: USPT Feb 22, 2000

US-PAT-NO: 6028537
DOCUMENT-IDENTIFIER: US 6028537 A

TITLE: Vehicle communication and remote control system

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

---

☐ 6. Document ID: US 5991690 A

L15: Entry 6 of 10 File: USPT Nov 23, 1999

US-PAT-NO: 5991690
DOCUMENT-IDENTIFIER: US 5991690 A

TITLE: Navigation system incorporating simplified location display

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

---

☐ 7. Document ID: US 5898392 A

L15: Entry 7 of 10 File: USPT Apr 27, 1999

US-PAT-NO: 5898392
DOCUMENT-IDENTIFIER: US 5898392 A

TITLE: System and method for remote control of an in-vehicle voice recorder and other electrical accessories

Full | Title | Citation | Front | Review | Classification | Date | Reference | References | Attachments | Claims | KWIC | Draw De

---

☐ 8. Document ID: US 5774828 A

L15: Entry 8 of 10 File: USPT Jun 30, 1998

US-PAT-NO: 5774828
DOCUMENT-IDENTIFIER: US 5774828 A

TITLE: Mapless GPS navigation system with user modifiable data base

Full | Title | Citation | Front | Review | Classification | Date | Reference | References | Attachments | Claims | KWIC | Draw De

---

☐ 9. Document ID: US 5528248 A

L15: Entry 9 of 10 File: USPT Jun 18, 1996

US-PAT-NO: 5528248
DOCUMENT-IDENTIFIER: US 5528248 A

TITLE: Personal digital location assistant including a memory cartridge, a GPS smart antenna and a personal computing device

Full | Title | Citation | Front | Review | Classification | Date | Reference | References | Attachments | Claims | KWIC | Draw De

---

☐ 10. Document ID: US 3769710 A

L15: Entry 10 of 10 File: USPT Nov 6, 1973

US-PAT-NO: 3769710
DOCUMENT-IDENTIFIER: US 3769710 A

TITLE: ELECTRONIC CELESTIAL NAVIGATION MEANS

Full | Title | Citation | Front | Review | Classification | Date | Reference | References | Attachments | Claims | KWIC | Draw De

---

Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Terms	Documents
L13 and (navigat$.clm. and switch$.clm.)	10

Hit List

First Hit | Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Search Results - Record(s) 1 through 5 of 5 returned.

☐ 1. Document ID: US 20030023353 A1

L10: Entry 1 of 5 File: PGPB Jan 30, 2003

PGPUB-DOCUMENT-NUMBER: 20030023353
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20030023353 A1

TITLE: Arrangement for a switch-equipped steering wheel

PUBLICATION-DATE: January 30, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Badarneh, Ziad	Oslo		NO

US-CL-CURRENT: 701/1

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

☐ 2. Document ID: US 20030001816 A1

L10: Entry 2 of 5 File: PGPB Jan 2, 2003

PGPUB-DOCUMENT-NUMBER: 20030001816
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20030001816 A1

TITLE: Display and manoeuvring system and method

PUBLICATION-DATE: January 2, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Badarneh, Ziad	Oslo		NO

US-CL-CURRENT: 345/156; 715/863

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

☐ 3. Document ID: US 6429812 B1

L10: Entry 3 of 5 File: USPT Aug 6, 2002

US-PAT-NO: 6429812
DOCUMENT-IDENTIFIER: US 6429812 B1

TITLE: Mobile communication device

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

☐ 4. Document ID: US 6252544 B1

L10: Entry 4 of 5 File: USPT Jun 26, 2001

US-PAT-NO: 6252544
DOCUMENT-IDENTIFIER: US 6252544 B1

TITLE: Mobile communication device

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

☐ 5. Document ID: US 5528248 A

L10: Entry 5 of 5 File: USPT Jun 18, 1996

US-PAT-NO: 5528248
DOCUMENT-IDENTIFIER: US 5528248 A

TITLE: Personal digital location assistant including a memory cartridge, a GPS smart antenna and a personal computing device

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Terms	Documents
L8 and (navigat$ and switch$.clm.)	5

Display Format: - Change Format

Previous Page Next Page Go to Doc#

L15: Entry 8 of 10 File: USPT Jun 30, 1998

US-PAT-NO: 5774828
DOCUMENT-IDENTIFIER: US 5774828 A

TITLE: Mapless GPS navigation system with user modifiable data base

DATE-ISSUED: June 30, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Brunts; Randall T.	Carmel	IN		
Welk; Douglas Lynn	Rossville	IN		

US-CL-CURRENT: 701/210; 340/990, 340/995.24, 340/995.26, 340/995.27, 701/200, 701/208

CLAIMS:

What is claimed is:

1. A mapless navigation system with a user modifiable data base for adding data, including coordinate data, to previously stored data and for recalling the data, said mapless navigation system comprising:

a position sensing receiver for receiving position information and determining a current position thereof;

a user modifiable destination data base internal to the navigation system with programmable memory for adding information to existing destinations to the data base and for adding coordinates of and other information regarding new destinations including said current position as a new destination to said data base;

user interface means in said system for accessing the user modifiable data base, for adding said information to the user modifiable data base, and for recalling database information, including the added information on destinations;

user selectable input means for selecting a desired destination from the user modifiable data base, including the destination added by a user of the data base;

processor means for determining a distance and a direction from the determined current position to the selected desired destination; and

a mapless display for displaying said distance from the current position to the selected desired destination, and a direction pointing indicator in said display for indicating said direction from the current position to the

selected desired destination.

2. The navigation system as defined in claim 1 wherein said position sensing receiver provides coordinates for the added destination to said user modifiable database.

3. The navigation system as defined in claim 2 wherein said user modifiable data base is contained in a memory card and the user interface means includes means for transferring said coordinates from said position sensing receiver to said user modifiable database.

4. The navigation system as defined in claim 3 wherein said coordinate transfer means includes a pushbutton that actuates transfer of coordinate data from said position sensing receiver to said user modifiable data base.

5. The navigation system as defined in claim 4 wherein said user modifiable data base includes a portion that is non-modifiable and the non-modifiable portion is contained in said memory card accessed via a memory card interface.

6. The navigation system as defined in claim 3 wherein said coordinate transfer means includes a rotary pushbutton switch that is rotatable for selecting available memory locations and axially depressible for storing a user specified destination in one of the available memory locations.

7. The navigation system as defined in claim 5 wherein said pushbutton for storing the current position as a user specified destination is a rotary pushbutton switch that is rotatable for selecting available memory locations and axially depressible for storing the current position as said user specified destination.

8. A method of providing navigational assistance to a mobile user of mapless navigation system, said method comprising the steps of:

receiving GPS signals containing position latitude and longitude information on current position of the mapless navigation-system;

providing a memory card in the mapless navigation system having a user modifiable data base thereon containing latitude and longitude coordinates and associated identifying destinations therefor;

providing an identifying destination for association with the current position latitude and longitude coordinates;

storing the identifying destination in association with its current position latitude and longitude coordinates in the user modifiable data base;

selecting one of the stored identifying destinations and its associated coordinates from the user modifiable data base;

determining a distance and a direction from the current position to the selected coordinates; and

displaying the determined distance and a direction pointer indicating the direction from the current position to the selected coordinates on a mapless display.

9. The method as defined in claim 8 further comprising the step of reading categorized destinations and corresponding latitude and longitude position coordinates of the categorized destinations from the user modifiable destination data base stored on said memory card.

Previous Doc Next Doc Go to Doc#

Refine Search

Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Search Results -

Terms	Documents
L13 and (auto$ with select$) and window$	1

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L18

Refine Search | Recall Text | Clear | Interrupt

Search History

DATE: Tuesday, December 05, 2006 **Purge Queries** Printable Copy Create Case

Set Name side by side	Query	Hit Count	Set Name result set
DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; THES=ASSIGNEE; PLUR=YES; OP=OR			
L18	L13 and (auto$ with select$) and window$	1	L18
L17	L16 and (auto$ with select$)	1	L17
L16	L15 and (display$ or content$ or window$)	10	L16
L15	L13 and (navigat$.clm. and switch$.clm.)	10	L15
L14	L13 and (navigat$ and switch$.clm.)	19	L14
L13	L11 or L12	78	L13
L12	L4 and @pd<=20030324	49	L12
L11	L4 and @ad<=20030324	77	L11
L10	L8 and (navigat$ and switch$.clm.)	5	L10

L9	L8 and (navigat$ and switch$)	23	L9
L8	L6 or L7	23	L8
L7	L5 and @pd<=20030324	11	L7
L6	L5 and @ad<=20030324	23	L6
L5	L4 and ("touch-screen" or "touchscreen" or "touch screen")	38	L5
L4	(toggl$ with switch$) and (select$ with option$) and navigat$ and map$ and (car$ or automobile or vehicl$)	113	L4
DB=PGPB; THES=ASSIGNEE; PLUR=YES; OP=OR			
L3	L2 and (select$ same option$)	1	L3
L2	20040193371	1	L2
DB=USPT; THES=ASSIGNEE; PLUR=YES; OP=OR			
L1	6542793.pn.	1	L1

END OF SEARCH HISTORY

Hit List

First Hit Your wildcard search against 10000 terms has yielded the results below.

Your result set for the last L# is incomplete.

The probable cause is use of unlimited truncation. Revise your search strategy to use limited truncation.

Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Search Results - Record(s) 1 through 1 of 1 returned.

☐ 1. Document ID: US 20040009813 A1

L18: Entry 1 of 1 File: PGPB Jan 15, 2004

PGPUB-DOCUMENT-NUMBER: 20040009813
PGPUB-FILING-TYPE: new
DOCUMENT-IDENTIFIER: US 20040009813 A1

TITLE: Dynamic interaction and feedback system

PUBLICATION-DATE: January 15, 2004

INVENTOR-INFORMATION:

NAME	CITY	STATE	COUNTRY
Wind, Bradley Patrick	Champaign	IL	US

US-CL-CURRENT: 463/30

Full | Title | Citation | Front | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWIC | Draw De

Clear | Generate Collection | Print | Fwd Refs | Bkwd Refs | Generate OACS

Terms	Documents
L13 and (auto$ with select$) and window$	1

Display Format: - Change Format

Previous Page Next Page Go to Doc#

.L1: Entry 1 of 1 File: USPT Apr 1, 2003

US-PAT-NO: 6542793
DOCUMENT-IDENTIFIER: US 6542793 B2

TITLE: Pedal apparatus for vehicles and a vehicle equipped with the same

DATE-ISSUED: April 1, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Kojima; Takao	Hitachi			JP
Satou; Kazuhiko	Mito			JP
Minowa; Toshimichi	Mito			JP
Kuragaki; Satoru	Hitachi			JP
Yoshikawa; Tokuji	Hitachi			JP

ASSIGNEE-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY	TYPE CODE
Hitachi, Ltd.	Tokyo			JP	03

APPL-NO: 09/960491 [PALM]
DATE FILED: September 24, 2001

FOREIGN-APPL-PRIORITY-DATA:

COUNTRY	APPL-NO	APPL-DATE
JP	2001-127047	April 25, 2001

INT-CL-ISSUED: [07] G06F 7/00, G06F 17/00

INT-CL-CURRENT:

TYPE	IPC	DATE
CIPP	B60 T 7/04	20060101

US-CL-ISSUED: 701/1; 701/70, 701/78, 701/79, 701/93, 303/116.1, 303/113.1, 303/113.5, 303/122.09, 60/554, 60/547.1, 180/170, 180/176, 180/177, 180/274, 180/275, 74/512, 74/513
US-CL-CURRENT: 701/1; 180/170, 180/176, 180/177, 180/274, 180/275, 303/113.1, 303/113.5, 303/116.1, 303/122.09, 60/547.1 , 60/554, 701/70, 701/78, 701/79, 701/93, 74/512, 74/513

FIELD-OF-CLASSIFICATION-SEARCH: 701/1, 701/70, 701/78, 701/93, 701/79, 303/116.1, 303/113.1, 303/113.5, 303/113.2, 303/113.4, 303/122.09, 60/554, 60/547.1, 180/170, 180/176, 180/177, 180/274, 180/275, 74/512, 74/513
See application file for complete search history.

PRIOR-ART-DISCLOSED:

U.S. PATENT DOCUMENTS

Search Selected | Search ALL | Clear

	PAT-NO	ISSUE-DATE	PATENTEE-NAME	US-CL
☐	5333944	August 1994	Shirai et al.	303/113.4
☐	5927419	July 1999	Tokimoto	
☐	6024420	February 2000	Yonemura et al.	303/113.2
☐	6050653	April 2000	Wachi et aL.	303/113.4
☐	6142581	November 2000	Yamaguchi et al.	303/113.2
☐	6158824	December 2000	Yonemura et al.	303/113.4
☐	6253635	July 2001	Huber	267/158
☐	2001/0038243	November 2001	Isono	303/116.1

FOREIGN PATENT DOCUMENTS

FOREIGN-PAT-NO	PUBN-DATE	COUNTRY	CLASS
9-123883	May 1997	JP	
2000-54860	February 2000	JP	

OTHER PUBLICATIONS

U.S. patent application Ser. No. 09/824,720.
U.S. patent application Ser. No. 09/922,917.

ART-UNIT: 3663

PRIMARY-EXAMINER: Cuchlinski, Jr.; William A.

ASSISTANT-EXAMINER: Mancho; Ronnie

ABSTRACT:

There is provided a pedal apparatus for vehicles, which comprises a pedal reaction-force addition means 4 for adding a reaction force to a pedal 1 of a vehicle, a pedal force detection means 2 for detecting a force added to the pedal 1, a pedal reaction-force control means 3 for adjusting the output of the pedal reaction-force addition means 4. During the running of the vehicle, the pedal reaction-force control means 3 performs the adjustment of a reaction force of the pedal on the basis of the driving environment of the vehicle and the driver's intention and judgement in pedal operation in the driving environment, whereby it is ensured that when the driver has no intention of operating the pedal, the driver can sufficiently place his or her foot on the pedal and that when he driver has any intention of operating the pedal, the driver can realize a smooth pedal operation.

8 Claims, 35 Drawing figures

10/800667 3/24/2003
merely identical to switching TV channels (on a TV screen)

--> 4138726
6055560

6(5)163749

(((ACLM/switchover AND ACLM/display) AND SPEC/screen) AND ACLM/imag?): 17 patents.

1 6,969,183 Digital lighting apparatus for vehicle, controller for digital lighting apparatus, and control program for digital lighting apparatus
2 6,943,955 Stereoscopic display system having a single display
3 6,940,646 Method and apparatus for stereoscopic image display
4 6,673,019 Diagnostic ultrasound imaging based on rate subtraction imaging (RSI)
5 6,436,049 Three-dimensional ultrasound diagnosis based on contrast echo technique
6 6,340,959 Display control circuit
7 5,847,688 Liquid crystal display apparatus having an increased viewing angle
8 5,815,135 Display control apparatus
9 5,373,317 Control and display section for borescope or endoscope
10 5,173,777 Circuit configuration for inset-image keying in a television set having only one tuner
11 5,170,427 Audio and video communications terminal with improved adjustments
12 4,989,090 Television scan line doubler including temporal median filter
13 4,707,126 Method of positioning original image to be copied and apparatus for performing the same
14 4,663,630 PPI radar apparatus
15 4,376,575 Single lens reflex cameras and viewfinder display switchover devices therefor
16 4,299,462 View finder device having liquid crystal cell
17 3,953,669 Video tracking system

((((ACLM/switchover AND ACLM/display) AND SPEC/screen) AND ACLM/imag?) AND SPEC/toggle?): 0 patents.

merely identical to switching TV channels (on a TV screen)

Welcome to DialogClassic Web(tm)

```
 Dialog level 05.13.02D
Last logoff:  26nov06 14:00:04
Logon file405 05dec06 18:23:22
          *** ANNOUNCEMENTS ***
                    ***
NEW FILES RELEASED
***Engineering Index Backfile (File 988)
***Verdict Market Research (File 769)
***EMCare (File 45)
***Trademarkscan - South Korea (File 655)

RESUMED UPDATING
***File 141, Reader's Guide Abstracts
                    ***
RELOADS COMPLETED
***Files 340, 341 & 942, CLAIMS/U.S. Patents - 2006 reload now online
***Files 173 & 973, Adis Clinical Trials Insight
***File 11, PsycInfo
***File 531, American Business Directory
                               ***
DATABASES REMOVED
***File 196, FINDEX
***File 468, Public Opinion Online (POLL)
Chemical Structure Searching now available in Prous Science Drug
Data Report (F452), Prous Science Drugs of the Future (F453),

 Information:
  1.  Announcements (new files, reloads, etc.)
  2.  Database, Rates, & Command Descriptions
  3.  Help in Choosing Databases for Your Topic
  4.  Customer Services (telephone assistance, training, seminars, etc.)
  5.  Product Descriptions

 Connections:
  6.  DIALOG(R) Document Delivery
  7.  Data Star(R)

    (c) 2003 Dialog, a Thomson business.      All rights reserved.

      /H = Help            /L = Logoff          /NOMENU = Command Mode


Enter an option number to view information or to connect to an online
 service.  Enter a BEGIN command plus a file number to search a database
(e.g., B1 for ERIC).
?

B411
       05dec06 18:23:34 User264717 Session D537.1
            $0.00    0.329 DialUnits FileHomeBase
     $0.00  Estimated cost FileHomeBase
     $0.05  INTERNET
     $0.05  Estimated cost this search
     $0.05  Estimated total session cost   0.329 DialUnits
File 411:DIALINDEX(R)

DIALINDEX(R)
   (c) 2006 Dialog
```

```
*** DIALINDEX search results display in an abbreviated ***
*** format unless you enter the SET DETAIL ON command. ***
?

SF AUTO
   You have 10 files in your file list.
   (To see banners, use SHOW FILES command)
?

S (SWITCH? (S) WINDOWS) AND ("MULTI-WINDOW" OR "MULTI-SCREEN" OR (MULTI? (2W) DISPLA

Your SELECT statement is:
   S (SWITCH? (S) WINDOWS) AND ("MULTI-WINDOW" OR "MULTI-SCREEN" OR (MULTI?
(2W) DISPLAY?)) AND PD<=030324

          Items   File
          -----   ----

   No files have one or more items; file list includes 10 files.
   One or more terms were invalid in all files.

?

S (SWITCH? (S) WINDOWS) AND (NAVIGATION? AND "NON-NAVIGATION") AND PD<=030324

Your SELECT statement is:
   S (SWITCH? (S) WINDOWS) AND (NAVIGATION? AND "NON-NAVIGATION") AND
PD<=030324

          Items   File
          -----   ----

   No files have one or more items; file list includes 10 files.
   One or more terms were invalid in 9 files.
```

Results for "((switch* <near/4> windows) <and> ('multi-window' <or> 'multi-screen' <or&g..." e-mail
Your search matched **15** of **1436708** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

1. **Back cover**
Magnetics, IEEE Transactions on
Volume 5, Issue 4, Dec 1969 Page(s):0 - 0
AbstractPlus | Full Text: PDF(4136 KB) **IEEE JNL**
Rights and Permissions

2. **Subject Index, Jun. 1981**
Microwave Theory and Techniques, IEEE Transactions on
Volume 28, Issue 6, Part 2, Jun 1981 Page(s):80 - 207
AbstractPlus | Full Text: PDF(31336 KB) **IEEE JNL**
Rights and Permissions

3. **Subject Index, Nov. 1980, Part II**
Microwave Theory and Techniques, IEEE Transactions on
Volume 28, Issue 11, Nov 1980 Page(s):1298 - 1399
AbstractPlus | Full Text: PDF(24512 KB) **IEEE JNL**
Rights and Permissions

4. **The design and evaluation of online help for Unix EMACS: capturing the design**
Palmer, J.; Duffy, T.; Gomoll, K.; Gomoll, T.; Richards-Palmquist, J.; Trumble,
Professional Communication, IEEE Transactions on
Volume 31, Issue 1, March 1988 Page(s):44 - 51
Digital Object Identifier 10.1109/47.6920
AbstractPlus | Full Text: PDF(612 KB) **IEEE JNL**
Rights and Permissions

5. **On the applications of multimedia processing to communications**
Cox, R.V.; Haskell, B.G.; LeCun, Y.; Shahraray, B.; Rabiner, L.;
Proceedings of the IEEE
Volume 86, Issue 5, May 1998 Page(s):755 - 824
Digital Object Identifier 10.1109/5.664272
AbstractPlus | References | Full Text: PDF(1320 KB) **IEEE JNL**
Rights and Permissions

6. **Expanding automotive electronic systems**
Leen, G.; Heffernan, D.;

Computer
Volume 35, Issue 1, Jan. 2002 Page(s):88 - 93
Digital Object Identifier 10.1109/2.976923

AbstractPlus | References | Full Text: PDF(366 KB) **IEEE JNL**
Rights and Permissions

☐ **7. Smooth navigation of road map in 3D scene**
Sun Yi; Zhou Ping; Yang Yijin;
Intelligent Transportation Systems, 2003. Proceedings. 2003 IEEE
Volume 2, 12-15 Oct. 2003 Page(s):1235 - 1239 vol.2

AbstractPlus | Full Text: PDF(396 KB) **IEEE CNF**
Rights and Permissions

☐ **8. Information display interface in hypermedia design**
Shu-Ching Yang;
Education, IEEE Transactions on
Volume 43, Issue 3, Aug. 2000 Page(s):296 - 299
Digital Object Identifier 10.1109/13.865204

AbstractPlus | References | Full Text: PDF(412 KB) **IEEE JNL**
Rights and Permissions

☐ **9. The TaxGen framework: automating the generation of a taxonomy for a la collection**
Muller, A.; Dorre, J.; Gerstl, P.; Seiffert, R.;
System Sciences, 1999. HICSS-32. Proceedings of the 32nd Annual Hawaii In Conference on
Volume Track2, 5-8 Jan. 1999 Page(s):9 pp.
Digital Object Identifier 10.1109/HICSS.1999.772687

AbstractPlus | Full Text: PDF(80 KB) **IEEE CNF**
Rights and Permissions

☐ **10. Extending the notion of a window system to audio**
Ludwig, L.F.; Pincever, N.; Cohen, M.;
Computer
Volume 23, Issue 8, Aug. 1990 Page(s):66 - 72
Digital Object Identifier 10.1109/2.56873

AbstractPlus | Full Text: PDF(640 KB) **IEEE JNL**
Rights and Permissions

☐ **11. Automated lane change controller design**
Hatipoglu, C.; Ozguner, U.; Redmill, K.A.;
Intelligent Transportation Systems, IEEE Transactions on
Volume 4, Issue 1, March 2003 Page(s):13 - 22
Digital Object Identifier 10.1109/TITS.2003.811644

AbstractPlus | References | Full Text: PDF(686 KB) **IEEE JNL**
Rights and Permissions

☐ **12. Virtual-SAP: an immersive tool for visualizing the response of building st environmental conditions**
Bowman, D.A.; Setareh, M.; Pinho, M.S.; Ali, N.; Kalita, A.; Yunha Lee; Lucas, Kothapalli, M.; Qinwei Zhu; Datey, A.; Tumati, P.;
Virtual Reality, 2003. Proceedings. IEEE
22-26 March 2003 Page(s):243 - 250
Digital Object Identifier 10.1109/VR.2003.1191146

AbstractPlus | Full Text: PDF(583 KB) **IEEE CNF**
Rights and Permissions

☐ **13. Exploring interaction strategies with Wall-screen: a new dual-display dev managing collections of web pages**

Hascoet, M.; Sackx, F.;
Information Visualisation, 2002. Proceedings. Sixth International Conference o
10-12 July 2002 Page(s):719 - 724
Digital Object Identifier 10.1109/IV.2002.1028855

AbstractPlus | Full Text: PDF(3158 KB) **IEEE CNF**
Rights and Permissions

☐ **14. Augment-able reality: situated communication through physical and digi**
Rekimoto, J.; Ayatsuka, Y.; Hayashi, K.;
Wearable Computers, 1998. Digest of Papers. Second International Symposiu
19-20 Oct. 1998 Page(s):68 - 75
Digital Object Identifier 10.1109/ISWC.1998.729531

AbstractPlus | Full Text: PDF(796 KB) **IEEE CNF**
Rights and Permissions

☐ **15. Model and product based integrated systems for utility operations**
Geisler, K.I.; Neumann, S.A.; Costin, K.L.; Bower, P.K.;
Computer Applications in Power, IEEE
Volume 5, Issue 3, July 1992 Page(s):15 - 20
Digital Object Identifier 10.1109/67.143269

AbstractPlus | Full Text: PDF(748 KB) **IEEE JNL**
Rights and Permissions

Back cover

This paper appears in: Magnetics, IEEE Transactions on
Publication Date: Dec 1969
Volume: 5 , Issue: 4
On page(s): 0 - 0
ISSN: 0018-9464
Posted online: 2003-01-06 16:45:40.0

Abstract
Not Available

Index Terms
Inspec
Controlled Indexing
Not Available

Non-controlled Indexing
Not Available
Author Keywords
Not Available

References

No references available on IEEE Xplore.

Citing Documents

No citing documents available on IEEE Xplore.